ELSEVIER

Fluid Phase Equilibria 123 (1996) 309–310

FLUID PHASE EQUILIBRIA

Contents of Volume 123 (1996)

Vol. 123, Nos. 1–2

Theoretical papers

Binary mixtures of water + five noble gases: comparison of binodal and critical curves at high pressures
Y.S. Wei, R.J. Sadus (Hawthorn, Vic, Australia) and E.U. Franck (Karlsruhe, Germany) 1–15

Stability of polydisperse fluid mixtures
D. Browarzik and H. Kehlen (Merseburg, Germany) 17–28

Thermochemical investigations of hydrogen-bonded solutions. Part 10. Development of expression for predicting excess enthalpies of ternary two alcohol + inert hydrocarbon systems based upon mobile order theory
S. Pandey, J.R. Powell, M.E.R. McHale, A.-S.M. Kauppila and W.E. Acree Jr (Denton, TX, USA) 29–38

Estimation of DISQUAC interchange energy parameters for linear secondary alcohols + *n*-alkanes or + cyclohexane mixtures
J.A. González, I. García de la Fuente and J.C. Cobos (Valladolid, Spain) 39–57

A new mixing rule for cubic equations of state and its application to vapor–liquid equilibria of polymer solutions
C. Zhong and H. Masuoka (Higashi-Hiroshima, Japan) 59–69

Thermodynamic properties of sugars in aqueous solutions: correlation and prediction using a modified UNIQUAC model
A.M. Peres and E.A. Macedo (Porto Codex, Portugal) 71–95

Improvement of predictive accuracy of the UNIFAC model for vapor–liquid equilibria of polymer solutions
C. Zhong, Y. Sato, H. Masuoka (Higashi-Hiroshima, Japan) and X. Chen (Ningbo, P.R. China) 97–106

Modelling gas hydrate thermodynamic behaviour: theoretical basis and computational methods
D. Avlonitis and N. Varotsis (Chania, Greece) 107–130

Experimental papers

Dielectric properties of binary liquid systems at very dilute concentrations determined by using a stepwise dilution method
R. Tanaka, H. Tsuzuki, K. Okazaki and T. Kinoshita (Osaka, Japan) 131–146

Phase and reaction equilibria of the acetic acid–isopropanol–isopropyl acetate–water system at 760 mmHg
L.-s. Lee and M.-z. Kuo (Chungli, Taiwan) 147–165

Solid–liquid equilibria for systems containing long-chain 1-alkanols. II. Experimental data for 1-dodecanol, 1-tetradecanol, 1-hexadecanol, 1-octadecanol or 1-eicosanol + CCl_4 or + cyclohexane mixtures. Characterization in terms of DISQUAC
U. Domańska (Warsaw, Poland) and J.A. González (Valladolid, Spain) 167–187

Phase equilibria of the ternary system water/acetic acid/2-pentanol
S.A. Al-Muhtaseb and M.A. Fahim (Al-Ain, United Arab Emirates) 189–203

Liquid–liquid equilibrium studies on systems comprising mixtures of tetralin or C_4- or C_6-alkyltetralins with cetane and sulpholane
A. Masohan, G. Parsad, P. Gupta, M.K. Khanna, S.K. Chopra and B.S. Rawat (Dehradun, India) 205–213

Determination of methanol/CO_2 and acetonitrile/CO_2 vapor–liquid phase equilibria using a variable-volume view cell
T.S. Reighard, S.T. Lee and S.V. Olesik (Columbus, OH, USA) 215–230

Temperature and concentration dependence of the viscosity of aqueous sodium nitrate and sodium thiosulphate electrolytic systems
S. Mahiuddin (Assam, India) and K. Ismail (Meghalaya, India) 231–243

A new equilibrium cell with variable cell volume for static vapour–pressure measurements
J. Gaube, S. Hammer and A. Pfennig (Columbus, OH, USA) 245–257

Mutual solubility of binary mixtures of octadecane with diethanolamine and bis-hydroxyethyl piperazine
M. Abedinzadegan and A. Meisen (Vancouver, Canada) 259–270

Excess enthalpies and volumes of mixing of 1-propanol or 2-propanol + cyclohexane at 298.15 and 308.15 K
K.C. Singh, K.C. Kalra, S. Maken and V. Gupta (Rohtak, India) 271–281

Review article
Multiphase equilibria of reactive systems
W.D. Seider (Philadelphia, PA, USA) and S. Widagdo (Hoboken, NJ, USA) 283–303

Subject Index 305

Author Index 307